Accessibility Compendium
for society and partner publishers

Version 2.0

February 2026

Contents

Intended audience

This Accessibility Compendium is designed for society and partner publishers that handle production of their content and publish it on Elsevier platforms.

Quick reference guide

I want to:	I need to take the following steps:	I can find more information about this on:
Include an image in an article/chapter	- Consider image accessibility - Check whether alt text is needed for this image - Write alt text where needed - Mark purely decorative images as such - Supply alt text in the PDF	- Image accessibility, page 13 - Alt text, page 4 - Adding alt text to PDF, page 31
Provide Elsevier with a tagged PDF	- Apply accessibility features to the source file - Review the accessible tags that Elsevier applies to its PDFs - Convert source file to an accessible PDF - Check the PDF using validation tools	- Word accessibility, page 16 - PDF accessibility, page 22 - Appendix 1, Elsevier PDF tags, page 34
Provide Elsevier with an accessible video or audio file	- Check whether captions, text transcript, and/or audio description is required, based on the video content - Choose the most appropriate workflow, tools and services for generating these - Provide Elsevier with the video and files for captions/ transcript/ audio description	- Podcast and audio recordings accessibility, page 48 - Video content accessibility, page 52
Provide Elsevier with journal accessibility metadata	- Review the approach Elsevier is taking to apply metadata to journal articles - Supply a JSON file containing the metadata	- Accessibility metadata for CRC journals, page 41

Key terms

Assistive technology: Software or equipment that presents content in ways that makes it readable for persons with disabilities. Assistive technology includes screen-reading software such as NVDA, magnification tools, refreshable Braille displays, eye-tracking devices, mouth sticks, and assistive reading applications.

PDF/UA: PDF/Universal Accessibility is the ISO standard 14289-1. It is a set of requirements for PDF documents that mean that all users can use them with an equitable level of effort.

Screen reader software: An assistive technology software that helps people access digital content by audio and/or touch. Examples include NVDA, JAWS and VoiceOver. Screen readers allow a device to read content aloud or communicate it through a connected device such as a refreshable Braille display.

Web Content Accessibility Guidelines: An international standard developed by the World Wide Web Consortium (W3C) that sets recommendations for web accessibility.

Alt text for images

Introduction

Alt text (alternative text) is a critical component of accessible digital content. It is descriptive text embedded within an image that conveys the essential information or function of that image. Alt text ensures that all readers, including users with visual impairments who use assistive technology such as screen reading software, can equitably access and understand visual content. Well-crafted alt text not only enhances accessibility but also improves the discoverability of images in search engines and browser searches. It is an essential element of meeting accessibility legislation, including the Americans with Disabilities Act (ADA) Title II update.

This is a guide to alt text with links to key resources.

When to use alt text

Alt text is applicable to images that convey meaningful information, including:

- Photographs, illustrations, and infographics that support or clarify the text.
- Charts, graphs, diagrams, maps, and complex visuals that contain data or detailed information.
- Functional images, such as icons or buttons, that serve a purpose.
- Images that add context or are integral to understanding the content.

Decorative images

Alt text is not required for images that are purely decorative, such as background patterns or borders. How to mark an image as decorative will be outlined further in the On the Web section.

How to provide Elsevier with image alt text for journal PDF content

Note: The following three steps are intended for society and partner publishers whose deliverable to Elsevier is a PDF file.

1. Use the guidance and best practice below to write meaningful and concise alt text for each informative image, assessing whether a short or long description is needed. The descriptions may be supplier-generated, author-generated, or a combination of both, with subject matter expertise as a key criterion.

2. We recommend making the alt text available to the author for their review and sign-off.

3. Assign the alt text to the images in the PDF. The alt text is generally added to the source file (InDesign, Word, etc.) and carries across to the PDF on conversion. See also the section on <u>Adding alt text to different image formats</u>.

Short and long alt text, and how they work together

Although there is no strict limit to the length of alternative text for images, the ideal length is up to 200 characters, or about 25 to 30 words. This is recommended because screen reader users cannot pause narration while listening to alternative text. If the description is longer than 200 characters and they miss or misunderstand something, they must listen to the entire description again from the beginning.

However, many scientific images are too complex to describe meaningfully in 200 characters. In these cases, a longer description is required to give a literal translation of the image, conveying all elements that are important to understand its intent and meaning. It may include multiple paragraphs.

Long descriptions do not have a maximum character count and should aim to provide the right level of detail based on context rather than aim for a specific number of characters. Elsevier aims to keep long descriptions beneath 2,000 characters, to provide a meaningful description whilst keeping it concise and user-friendly.

The PDF format contains a single, plain text field for the alt text. The description can include multiple paragraphs, but PDF does not allow for other formatting such as lists.

Short and long alt text in CRC journal content

As a PDF contains a single alt text field, it is not possible to include both the short alt text and long description. Elsevier's guidelines for embedding alt text in a PDF for Camera Ready Copy (CRC) journal content are:

- If the alt text consists of only a short description, include the short alt text.
- If the alt text includes both long and short descriptions, include the long alt text.

How does alt text differ to a figure caption?

A figure caption puts the image in the context of the rest of the chapter or text. It appears on the page or screen. While the caption may briefly describe the image and/or its purpose it is generally not as visually rich as alt text.

Alt text provides a more detailed, literal description of what is in an image. It does not appear on the page of a PDF. Alt text is read aloud when assistive technology, such as screen reader software, encounters the image, communicating the visual in text form.

Together the figure caption, alt text, and the body text that refers to the image give a complete description of the visual.

Principles for writing alt text

Context is key

- The same image may be described differently depending on its context.

- Review the surrounding content to see how the image has already been described.

- Determine which image details are important in the context of the content and the intention of the image.

Clear and logical structure

- Imagine that you are visually describing the image to somebody over the phone who needs to understand it.

- Start with a broad overview of what the image depicts.

- Add specific details to describe the key elements.

- Elsevier's journal alt text includes 'Alt text begins' at the start of the description and 'Alt text provided by Elsevier' at the end, to separate the image description from the caption and body text. You may wish to follow the same approach; see the Examples of alt text section for sample descriptions.

- Write in digestible sections.

- Describe complex or multi-part images in a logical order: left to right, top to bottom, or in the order labels appear and keep that order consistent for images following the same visual structure throughout the document. For multi-part images, describe each part clearly, indicating their relationship.

- Avoid using positional or sensory language to describe images. For example, instead of saying "On the left is the outline of a cat and on the right is the outline of a dog," use descriptions like "Part A is the outline of a cat and Part B is the outline of a dog." This approach is more helpful for non-sighted users, who are the primary audience for alternative text, because positional references do not provide meaningful context for them.

- For diagrams and charts, describe the type of chart, axes, labels, and key data trends.

- For images that contain text, transcribe the text in full.

Tone and language

- Write in language suitable for your audience.

- Match the tone of nearby content.

- Use appropriate language and dialect for the content, such as UK or US English.

- Describe what is visible, without adding interpretation or subjectivity.

- Spell out acronyms in full, adding a space between letters in abbreviations that could be read out as a word, such as M A for Master's, which may be read as 'Ma'.

- Use inclusive language: avoiding terms, phrases or expressions that may exclude, marginalize, or stereotype individuals based on characteristics such as race, gender, disability, or age. Avoid gendered terms unless relevant, and describe people with respectful, person-first language.

- Markup such as LaTeX and MathML cannot be conveyed to readers in alt text. Instead, write out scientific notification, such as 'H sub 3 PW sub 12 O sub 40' for $H_3PW_{12}O_{40}$.

- Check spelling, grammar and punctuation.

- End alt text with a period so it is clear that the reader has reached the end.

- The alt text matches the language of the text in the image; for example, if the image text is in French the alt text matches.

Avoid unnecessary details

- Screen reader software announces an image, so it is not necessary to start with phrases such as "image of" or "picture of". But be specific when referring to a type of image, such as "A bar chart" or "A CT scan".

- Avoid repeating the caption or surrounding text.

- For short alt text, do not include lists or bold and italic for emphasis, because these will not be picked up by screen readers.

Review the description

- After writing the alt text, take a step back and consider whether it reflects the key information and the intention of the image.

- Edit for accuracy, for example checking dosage information is accurate, or that labels are correctly spelled out.

Examples of alt text

The examples below are designed for CRC journal content creators writing alt text for PDFs, a file format that contains a single alt text field. For creators who are writing for EPUB or HTML outputs, please note that WCAG conformance requires both short and long alt text for complex images. Further information can be provided on request.

Simple radiograph

Example alt text: Alt text begins. Radiograph of the bile and pancreatic ducts and surrounding structures. Contrast medium makes the common hepatic duct, pancreatic duct, cystic stump, and common bile duct appear almost opaque and white. An opaque white outline of the endoscope is visible. Alt text provided by Elsevier.

Simple multi-part image

Fig. 5-2 **A,** The oral cavity. **B,** The pharynx.

Example alt text: Alt text begins. Two-part image. Part A is a drawing of an open mouth with labels to teeth (incisors, cuspid, bicuspids and molars), lip, hard and soft palate, uvula, palatine tonsil, and tongue. Part B is a cutaway drawing of the pharynx with labels listed from the top to the nasopharynx, oropharynx and hypopharynx. Alt text provided by Elsevier.

Complex chemical diagram

Example alt text: Alt text begins. A chemical diagram showing the molecular structures of 2 bimetallic ruthenium photocatalyst complexes (3 and 4) and the proposed mechanism for light-driven sulfide oxygenation using water as oxygen source. This figure illustrates bimetallic ruthenium dyads for photocatalytic sulfide oxygenation, where light drives oxygen atom transfer from water to sulfide substrates via a proton-coupled electron transfer (PCET) mechanism. It contains 3 components: molecular structure (top), catalytic cycle (bottom left), and substrate transformation (bottom right).

Molecular structure. A dinuclear ruthenium complex with Ru sub phot (orange, light-absorbing) and Ru sub cat (green, catalytic) centres connected by a bridging ligand (tetrapyridophenazine). A sun symbol indicates light absorption; a red curved arrow illustrates electron transfer from Ru sub cat to Ru sub phot. 2 variants are shown: complex 3 (X = H sub 2 O, n = 4) and complex 4 (X = Cl, n = 3).

Catalytic cycle. Stepwise light-driven oxidation: Ru-Ru sup II (OH sub 2) yields Ru-Ru sup III (OH) yields Ru-Ru sup IV (O). A cobalt-based electron acceptor cycle (Co sup III / Co sup II, H sup plus) regenerates the catalyst. Water provides the oxygen atom.

Substrate transformation. A dibrominated thioanisole (sulfide) is converted to its corresponding sulfoxide, with oxygen added to the sulfur atom.

Central finding: Complex 3 outperforms complex 4 (turnover number 201 versus 81), attributed to the H sub 2 O ligand. Alt text provided by Elsevier.

Complex multi-part image

Example alt text: Alt text begins. A 10-panel figure compares 2 isomeric photosensitizers for photodynamic therapy: DTPA-2,5-BT-P forms nanoshuttles with enhanced tumour penetration, while DTPA-5,2-BT-P forms less effective nanospheres. Despite identical chemical compositions, they self-assemble into different nanostructures with dramatically different therapeutic efficacy. The 10 panels are presented as follows.

Panel A: Conceptual comparison. Left (nanoshuttle): DTPA-2,5-BT-P forms elongated shuttle-shaped nanoparticles that enable enhanced reactive oxygen species (ROS) generation, fast endocytosis, and deep tumour penetration. Live cells (blue) become dead cells (orange) upon treatment. Right (nanosphere): DTPA-5,2-BT-P forms spherical nanoparticles with limited ROS, normal endocytosis, and incomplete tumour penetration.

Central panel: Molecular structures. Both isomers share triphenylamine (TPA) donor units and benzothiadiazole-thiophene acceptor cores with PF sub 6 counterions. DTPA-2,5-BT-P forms nanoshuttles; DTPA-5,2-BT-P forms nanospheres upon ultrasound processing with DSPE-PEG.

Panels B–E: Optical properties. Panel B: UV-visible absorption spectra (300–800 nanometres). Panel C: Photoluminescence spectra showing emission peaks. Panel D: Aggregation-induced emission plot showing intensity ratio (I/I sub 0) versus water fraction (0–100 per cent). Inset photographs show emission at 0 and 90 per cent water. Panel E: Emission spectra in aggregated state.

Panels F–H: Computational chemistry. Panel F: Optimised molecular geometries showing HOMO and LUMO orbital distributions. Energy gaps: E_g = 2.43 eV (DTPA-2,5-BT-P) and 1.99 eV (DTPA-5,2-BT-P). Panels G–H: Electrostatic potential surfaces showing charge distribution. Delta ESP = 103.68 kcal/mol (DTPA-2,5-BT-P) and 100.55 kcal/mol (DTPA-5,2-BT-P).

Panels I–J: Energy level diagrams. Singlet (S_1, S_2) and triplet (T_1, T_2, T_3) state energies with spin-orbit coupling constants (xi). Small energy gaps and non-zero xi values indicate efficient intersystem crossing for ROS generation. Alt text provided by Elsevier.

Adding alt text to different image formats

Microsoft Office (Word, PowerPoint, Excel, Visio, OneNote and Outlook)

Informative images: Right-click the image and select 'Edit Alt Text' to open the alt text field. Place the alt text in the text field.

Decorative images: Right-click the image and select 'Edit Alt Text'. In the alt text field that opens check the box 'Make decorative'.

Adobe InDesign

Informative images: After placing an image, select **Object** > **Object Export Options**. In the **Alt Text** menu, select **Custom**. Enter the alt text in the text field.

Decorative images, also known as 'artifacts': Select the image. Go to **Object Export Options** > **Tagged PDF**. In the dropdown menu select **Artifact**.

InDesign's automatically generated alt text: Since January 2026, Adobe InDesign has the functionality to generate English-language alt text for the images placed in documents. This feature is automatically turned on for premium users with unlimited credits. As with all AI-generated image descriptions, consider the accuracy, relevance and completeness of the alt text alongside intellectual property and other editorial factors. We recommend human review of any automated alt text prior to it going live.

To turn off automatic alt text generation, go to: **File** > **Preferences** > **Generative AI** (Windows) or **InDesign** > **Preferences** > **Generative AI** (macOS).

Adobe Acrobat Pro

It is possible to add alt text directly to a PDF using Adobe Acrobat Pro (this feature is not available in Adobe Reader). However, be aware that the alt text will be lost if the PDF is

re-generated at any point in the workflow. Add alt text to the source document to save repeated data entry.

For more information on how to add alt text to the PDF, see W3C – Applying text alternatives to images with the Alt entry in PDF documents.

On the Web

Informative images: In HTML, add alternative text to an image element using the alt attribute.

> Example: <img alt="cat">

For SVG images, first ensure the parent element has role="img". Then provide alternative text using a <title> child element and link the SVG container to the title with the aria-labelledby attribute.

> Example:
> <svg role="img" aria-labelledby="svgtitle1">
>   <title id="svgtitle1">cat</title>…</svg>

Decorative images: Set the image with a null (empty) alt text attribute, i.e. alt="" or just the alt attribute by itself without any value.

Further resources

W3C Images Tutorial.

DIAGRAM Center Image Description Guidelines.

The DAISY Consortium webinar series.

WebAIM Alternative Text.

textBOX Image Description Gallery.

Alternative Text and Long Description – Best Practices.

Visual image accessibility

 Accessible images require more than alt text. The guidance below outlines best practices for making static images visually accessible and provides links to key resources.

General design principles

Refer to and explain visual elements in the main text and include captions to place the image in the context of the content.

Keep images close to their related text.

If text must be placed over an image, ensure sufficient color contrast; for example, by inserting a semi-transparent overlay between the text and the image.

Avoid including images of text; screen reader technologies cannot read the content of an image. Where unavoidable, ensure that the text also appears in either the content or in full as the alt text.

Use simple design with an uncluttered layout.

Text size of 12pt minimum, in a clear, sans-serif font such as Arial, Aptos or Verdana.

Use of color

Text color contrast: Aim for a minimum of 4.5 to 1 text to background contrast ratio to meet the WCAG 1.4.3 Contrast criterion, such as place name labels against a country map.

Non-text color contrast: Ensure a minimum 3 to 1 contrast ratio between adjacent elements, such as including boundary lines between differently colored regions on a country map. See WCAG 1.4.11 Non-text Contrast.

Use of color: Do not use color alone to distinguish features on a map. Consider the use of shades, lines, patterns (sparingly), and labels.

Key resources:

- TPGi Colour Contrast Analyser
- WebAim Contrast Checker

Charts, figures and diagrams

Key principles for chart, figure and diagram accessibility include:

- A clear and descriptive chart title;
- Clear, spaced chart axes titles and labels;
- Data labels;
- Alt text: short alt text and a long description conveying the important information in the image;
- Minimum text contrast of 4.5 to 1 against its background;
- Minimum non-text contrast of 3 to 1 for adjacent visual elements, such as slices in a pie chart or lines in a line chart;
- Combining patterns and textures with colors that show distinctly when viewed in color and in monochrome

Microsoft Excel's online template library contains templates that are set up to be accessible. You can access these when you first open Excel, by typing 'accessible templates' into the search bar. See Microsoft Office – Start with an Accessible Excel Template and Create More Accessible Charts in Excel.

Maps

Key principles for map accessibility include:

- Inclusion of a legend where appropriate;
- Labels: clear and not overlapping;
- Minimum text color contrast, such as for place name labels on a country map;
- Non-text color contrast, such as including boundary lines between differently colored regions on a country map.
- Ensure use of shades, lines, patterns (sparingly), and labels to avoid using color as the only means of conveying information.

Alt text

There is a separate section in this compendium on alt text: see Alt text for images.

Interactive maps

Interactive maps are subject to WCAG 2.1 AA criteria, including:

1.4.11 Non-text Contrast.

1.4.13 Content on Hover or Focus.

Microsoft Word accessibility

This is a guide to Word document accessibility with links to key resources. An accessible Word document makes it easier to create an accessible PDF that meets legal accessibility standards.

General principles of Word accessibility

The Microsoft Accessibility Checker

The built-in Microsoft Accessibility Checker quickly checks a Word document and presents a list of actions to make the document accessible. It is an important and easy to use accessibility tool for Microsoft Office documents.

Find the Accessibility Checker in the Review tab and select 'Check Accessibility'.

In the Accessibility Checker results box that appears, you can also tick the box to keep the checker running while you work on a document, which places an accessibility status in the footer of the document.

Run the checker tool before completing a document to verify many of the points below, especially focusing on the Warnings and Errors.

Key resource: Microsoft – Improve accessibility with the Accessibility Checker.

Choosing a template

If you are looking to create a new template, Microsoft has a range of accessible templates. Select New from the File menu and search in the Online Templates and Themes field for 'accessible templates'.

Key resource: Microsoft – Get accessible templates for Office.

Font choice and font size

A minimum of 12pt for the base font size for a positive reading experience.

Clear fonts for readability, such as Arial, Aptos or Verdana.

Size 14pt or above when creating large-print content.

Filename and properties

Word documents contain file property metadata which describes the document and increases its online discoverability and search engine optimisation. The metadata entered in Word is also taken through to a PDF during conversion.

Find the document properties under 'Info' in the File tab.

Save the document in the format '.docx', to enable accessibility features such as the accessibility checker and testing.

Key resources:

- [Microsoft – View or change the properties for an Office file](#).
- [WCAG 2.4.2 Page titled](#).

Specify language

Assistive technologies use the document language to correctly present and pronounce the content. A document may contain one or more languages and read-aloud technologies will switch between multiple languages as they encounter them in a document.

Setting the primary language

The default language for Word files is located at File > Options > Language.

Setting a secondary language

A secondary language can be assigned at Review > Language > Set Proofing Language.

Key resources:

- [Microsoft – Change the language for selected text](#).
- [WCAG 3.1.1 Language of page](#).
- [WCAG 3.1.2 Language of parts](#).

Use of color

Color contrast

It is important to have sufficient text contrast against the background; for example, black text on white or white text on black.

The built-in Microsoft Accessibility Checker will identify insufficient color contrast, and the key resource tools below can check the contrast ratio between colors.

[WCAG 1.4.3 Contrast (Minimum)](#):

- Large-scale text (at least 18pt or 14pt and bold) has a contrast ratio of 3 to 1.
- Regular text has a contrast ratio of 4.5 to 1.

Key resources:

- [TPGi Colour Contrast Analyser](#)
- [WebAim Contrast Checker](#)

Avoid using color or formatting alone to convey meaning

Using formatting or color as the **only** way to convey meaning or emphasis may mean that users miss out on important information. This includes use of color; formatting such as bold, italic, or underline; or the style or size of font.

Options include using textures and different types of lines like dashes and dots in graphs, or different shades of the same color, to clearly differentiate between elements.

Key resource: [W3C – Use of Color](#).

Headings and document structure

Readers using assistive technology such as screen readers use the heading structure within a document to navigate between sections. The order of the heading structure determines the outline for these technologies.

The built-in Word heading styles give the document structure. The title is considered heading 1; further headings are assigned level 2, level 3, and so on. See, for example, [How Heading Structure Works](#).

Order content into a logical structure, using clear and descriptive headings and subheadings.

Heading levels follow a sequential order, ideally without skipping levels; for example, a level 3 heading appears only after a level 2 heading.

The Navigation Pane in the View tab visualizes the document's hierarchy of headings. This outline view can be useful to check the sequential order, and it will also be navigable by readers to quickly move between sections.

Key resources:

- [Microsoft – Add a heading in a Word document.](#)
- [Microsoft – Customise or create new styles](#).
- [WCAG 1.3.1 Info and Relationships](#).

Spacing and alignment

Word styles can be modified to:

- Add space above and below, such as headings and paragraphs;

- Use page breaks to start text on a new page;
- Set line spacing.

Bulleted and numbered lists

Using the built-in Word functions to create bulleted and numbered lists makes them recognisable and navigable for assistive technologies.

Key resources:

- Microsoft – Create a bulleted or numbered list
- Microsoft – Change line spacing between bullets in a list in Word

Alt text for visual content

Alt text provides a textual equivalent for an image, enabling people using screen readers to receive the important information in the visuals. Word documents can include a combination of image types:

- Informative: Images that convey information for the user contain alt text.
- Decorative: Purely decorative images, such as lines or colored backgrounds, are marked as decorative and do not contain alt text.
- Functional: Images that function as a link or button contain alt text that describes their purpose.

Add a contextually relevant description in the alt text field.

There is a separate section in this compendium on alt text: see Alt text for images.

Key resources:

- Microsoft – Add alt text to visuals
- W3C Images Tutorial
- DIAGRAM Center Image Description Guidelines
- WCAG 1.1.1 Non-text Content.

Informative links

Display meaningful link text that clearly communicates what the user will find when they select it. For example, Elsevier Accessibility homepage.

Use descriptive text to label links. Screen reader users have the ability to select from a list of all the links in a document, and unique, clear links are quickly identifiable.

Key resource:

- [Microsoft – Add accessible hyperlink text and Screentips](#).
- [WCAG 2.4.4 Link Purpose (In Context)](#).

Footnotes and endnotes

Automatic footnotes and endnotes contain circular links between the note marker and the note text.

Find the footnote and endnote function in the References tab.

The style of the note markers can be modified in the footnote and endnote pop-out menu and applied across the whole document. It is possible in this same menu to convert all footnotes to endnotes, and vice versa.

Tables

Principles for accessible tables include:

- Use the built-in Insert Table function;
- Use simple structures, avoiding split, merged or nested cells where possible;
- Avoid empty cells. Add a dash, a 0, or "N/A" as appropriate to indicate that the cell is intentionally empty;
- Assign row and/or column headers to header rows;
- Repeat headers at the top of the page for multi-page tables;
- Check the reading order is as intended. Tables in Word are read left to right across a row, before moving on to the next row. You can check the order and identify errors by placing the cursor in the top-left cell and using the Tab key to move through the table.

Key resource: [Microsoft – Create accessible tables in Word](#).

Text boxes

The built-in Accessibility Checker will identify text boxes that are not placed inline.

Key resources: [Section 508 – Create Accessible Textboxes](#).

Page numbers

Page numbers are useful for all readers.

Key resource: [Microsoft – Insert page numbers](#).

Videos

There is a separate section in this compendium on videos: see Video content accessibility.

Table of Contents

Tables of Contents can be generated using the Heading styles assigned to the document headings.

Key resources: Microsoft – Insert a table of contents.

Further resources

Make Your Word Documents Accessible to People with Disabilities.

Use MS Word to create an accessible document.

Accessible PDFs

The following provides guidance on PDF accessibility and links to key resources.

PDFs and the Web Content Accessibility Guidelines (WCAG)

A PDF document uploaded to a website becomes web content, and therefore the WCAG requirements apply to meet accessibility legislation. The Americans with Disabilities Act (ADA) Title II update in April 2026 emphasises conformance to the WCAG 2.1 AA standard, which includes provisions that allow people with disabilities to access content and websites with the same level of effort as everybody else.

PDF/UA (Universal Accessibility) is an international PDF accessibility standard that includes many of the WCAG criteria.

Start with an accessible source document

The optimal way to create an accessible PDF is to make the source document accessible; for example, Word or InDesign. Many features from the source (such as alt text for images) carry across to the PDF on conversion.

Examples of accessibility features that can be added to the source document include:

- Heading structure;
- Alternative (alt) text for images;
- Bookmarks;
- Accessible tables;
- Document title;
- Document language;
- Lists.

This compendium also includes a section on Microsoft Word accessibility.

If the source document is not available, it is still possible to make a PDF accessible, but it is a more manual process with the aid of a remediation tool.

Key resources:

- Adobe – PDF Accessibility Review.
- Acrobat Pro – Create and Verify PDF Accessibility.
- Creating Accessible PDF Files Using Adobe InDesign, by Chad Chelius.
- W3C – PDF Techniques for WCAG 2.2.
- PDF/UA.

PDF tagging

Tags provide the structure for a PDF document. Users of assistive technology such as screen reader software use the tags to navigate through the headings and content on a page. Assistive technology will skip over untagged content. Therefore, ensure all content in a document that is intended to be read has a corresponding tag.

Common tags include the following:

Tag	Name	Use
<Document>	Document	Overall container for the tags in a PDF
<P>	Paragraph	Body text
<H1>	Heading 1	Level 1 heading
<H2>	Heading 2	Level 2 heading
<H3>	Heading 3	Level 3 heading
<H4>–<H6>	Headings 4–6	Level 4–6 headings
<L>	List	Overall container for a list
<LI>	List Item	Individual numbered or bullet list item
<Lbl>	Label	Numbered or bullet point list character
<LBody>	Label body	The text content of a List Item
<TOC>	Table of Contents	Overall container for a Table of Contents
<TOCI>	Table of Contents Item	Individual Table of Contents text item, contains both the text and the live link
<Figure>	Figure	Image or graphic
<Caption>	Caption	Figure or table caption
<Formula>	Formula	Mathematical formula
<Quote>	Quote	Quoted text within a paragraph
<Blockquote>	Quote	Long quotations that appear as their own paragraph
<Table>	Table	Overall container for a Table
<TR>	Table Row	Individual table row content
<TH>	Table Header	Table header cell: row, column, or both
<TD>	Table Data	Individual table cell content
<Link>	Hyperlink	Link, e.g. a URL
<Reference>	Reference	References or citations and internal document references, e.g. endnote, TOC
<OBJR>	Object Reference	Active element of the Reference or a Link, which sits within either of these tags
<Span>	Span	Separator for text formatted differently, e.g. second language, italic, bold
<Form>	Form	Interactive form
<Artifact>	Artifact	Decorative elements such as borders and background images that should be ignored by assistive technology software

Appendix 1 contains a list of PDF tags that Elsevier applies to its content. Link to Appendix 1: Elsevier PDF tagging.

Checking and remediating a PDF for accessibility

There are several software applications that can check PDFs for accessibility and remediate them. Common tools include:

Adobe Acrobat Pro: Can be used to check PDF accessibility and remediate the identified accessibility issues. A mainly automated tool that requires some manual checks. Note that Adobe Reader (the free package) does not have this functionality.

PDF Accessibility Checker (PAC): A tool to check PDF accessibility against the latest WCAG and PDF/UA (Universal Accessibility) standards. PAC is not a remediation tool.

AxesPDF: Can be used to check PDF accessibility and remediate the identified accessibility errors. A mostly automated tool that requires some manual checks.

CommonLook PDF: Can be used to check PDF accessibility and remediate the identified accessibility issues. A mostly automated tool that requires some manual checks.

This guide details one possible checking, remediation and validation method, using (1) the Adobe Acrobat Pro Accessibility Checker tool to check and remediate a PDF, and (2) the PAC tool to validate against the WCAG and PDF/UA standards. See the sections below on Adobe Acrobat Pro Accessibility Checker criteria and resources and PDF Accessibility Checker (PAC).

PDF Accessibility Checker (PAC)

The PAC tool can be used to validate a PDF against WCAG and PDF/UA. Uploading a PDF to this tool after running it through a remediation tool can validate conformance to these standards.

It is possible to generate a conformance report per PDF for both standards. Suppliers/vendors can use this tool to confirm that these standards have been met.

Key resource: PAC – PDF Accessibility Checker.

Testing using a screen reader

Checking a PDF using a screen reader is a useful way to identify any issues that could be missed by automated tools but which may affect the reading experience of users of assistive technology. Listening to your PDFs can pick up mistakes that are more tricky to notice visually, such as reading order, form navigation, and the quality of alt text.

Including a spot-checking process in your workflow can identify issues affecting individual or lists of documents.

Ideally a document will be checked by more than one screen reader software, such as NVDA (for Windows users) and VoiceOver (for Apple users).

To check a PDF:

1. Open the PDF document;
2. Launch the screen reader software;
3. Navigate through the document with the keyboard, using the commands for the software.

Key resources:

- [WebAIM – Testing with Screen Readers: Questions and Answers](#).
- [WebAIM – Using NVDA to Evaluate Web Accessibility](#).
- [Apple – VoiceOver User Guide](#).
- [WebAIM – VoiceOver](#).

Adobe Acrobat Pro Accessibility Checker criteria and resources

This section explains how to use the Adobe Acrobat Accessibility Checker and outlines the criteria it uses to evaluate a PDF document.

Running the Accessibility Checker

The 'Prepare for accessibility' tool in Adobe Acrobat includes the action 'Check for accessibility'. Selecting this action runs the Accessibility Checker tool (hereon 'the tool').

Running the tool generates a report for your PDF with actions to fix it.

The tool assesses a PDF against 32 criteria. Depending on the content, not all criteria will be relevant to each PDF; for example, many documents do not include forms.

Making the content accessible in the source document is the easiest route to reducing the number of accessibility flags, so it is recommended to spend time on the source document before converting to PDF and running the checker tool.

Each criterion is listed below with an overview of the criterion, the action to take if an error is raised, and one or more key resources.

Note: There are two criteria that are always marked as requiring a manual check because they cannot be assessed by the tool. These are Color Contrast and Logical Reading Order.

Accessibility Permission Flag

Overview: Security settings can block assistive technologies from perceiving and extracting text. The tool identifies if a PDF has security settings that restrict assistive technologies.

Action: Either remove security settings or set the accessibility permission flag.

Resource: [Adobe – Prevent security settings from interfering with screen readers](#).

Image-only PDF

Overview: Image-only PDFs – often scanned documents – do not contain searchable text and cannot be read by assistive technology. The tool checks whether the PDF contains searchable text.

Action: If the source document is not available to convert to a searchable PDF, use the Optical Character Recognition (OCR) tool in Adobe Acrobat to create accessible text.

Resource: [W3C – Performing OCR on a scanned PDF document to provide actual text](#).

Tagged PDF

Overview: A PDF's tag structure enables assistive technologies to understand and navigate the document, such as headings, lists, tables, and images. The tool checks whether tags are present in the PDF.

Action: If the source document is available, structure the content (such as including heading styles in Word or InDesign) and exporting to PDF as a 'Tagged PDF'.

If the source document is unavailable, use the 'Automatically tag PDF' tool to tag the document. Manually check the tag structure and reading order are correct using the Tag pane (see also section below on '[Logical reading order](#)').

Resources:

- [W3C – Providing headings by marking content with heading tags in PDF documents](#).
- [Microsoft – Add a heading in a Word document](#).
- [InDesign – Basics of paragraph and character styles](#).

Logical reading order

Overview: The reading order of a PDF is equivalent to the visual order; it determines the order for assistive technology and keyboard-only users. A logical reading order is critical for users to read the content in a way that makes sense, and which aligns with the intended flow. This is always a manual check.

Action: Adding structure to the source document and exporting to PDF as a 'Tagged PDF' creates the logical structure. As a manual check criterion, follow the steps below to check the logical reading order.

Open the Tags Panel. The list of tags in the panel is called the 'Tag tree'. Use the keyboard up and down arrows to navigate through the tags, checking that the order of the tags matches the intended reading order of the content. The content associated with a tag will highlight on the screen as you navigate through the Tag tree.

If the tags follow the reading order, this is considered to be in a logical order. Complex layouts that include graphics, footnotes/endnotes, tables, and forms may not convert in the correct reading order and may require adjustments using a remediation tool.

Resources: W3C – Ensuring correct tab and reading order in PDF documents.

Primary language

Overview: The primary language assigned to a PDF tells assistive technology which language to use when reading and communicating the document. Where a document features multiple languages, the primary language is the default. Smaller sections in a secondary language are individually tagged.

Action: Set the primary language in the source document and assign secondary languages to smaller sections of text such as translations.

Resources:

- W3C – Setting the default language using the /Lang entry in the document catalog of a PDF document.
- W3C – Specifying the language for a passage or phrase with the Lang entry in PDF documents.

Document title

Overview: The document title displays in the tab containing the document or in the browser window. A descriptive title allows users to easily identify the document.

Action: Complete the Title property in the source document's file information. Alternatively, complete the PDF Title in the Document Properties.

Resources:

- W3C – Specifying the document title using the Title entry in the document information dictionary of a PDF document.
- Microsoft Office – View or change the properties for an Office file.

Bookmarks

Overview: Bookmarks aid navigation in long documents. They display in the Bookmarks Panel for all users.

Action: Create a table of contents in Word prior to conversion, add Bookmarks to an InDesign source document, or add bookmarks in Acrobat after conversion. However, be aware that Bookmarks added directly to the PDF may be overwritten if the source document is reconverted to PDF.

Resource: W3C – Creating bookmarks in PDF documents.

Color contrast

Overview: PDF color contrast is a manual check. Sufficient contrast between the text and background color, and between non-text graphics, improves readability.

Action: Use a tool such as the TPGi Colour Contrast Analyser or WebAIM Contrast Checker to manually check contrast ratios.

WCAG sets minimum contrast ratios for large-sized and regular text:

- Large-scale text (at least 18pt or 14pt and bold) has a contrast ratio of 3 to 1;
- Regular text has a contrast ratio of 4.5 to 1.

Non-text contrast ratio for graphical objects is 3 to 1 against adjacent color(s), such as between segments in a pie chart, or between adjacent, colored regions on a map.

Resources:

- TPGi Colour Contrast Analyser.
- WebAIM Contrast Checker.
- WCAG 1.4.3 Contrast (Minimum).
- WCAG 1.4.11 Non-text Contrast.

Tagged content

Overview: Whereas 'Tagged PDF' (above) checks for the presence of tags in the document, the 'Tagged content' criterion checks that all page content in the document is tagged. All meaningful content must be tagged to provide structure for assistive technology to navigate and correctly convey it. Content that is not tagged will not be available to assistive technology users. Tags include elements such as headings, paragraphs, lists, tables, and figures.

Action: Apply structure to the source document, including the use of heading styles and the built-in list and table functions.

If the source document is unavailable, use 'Automatically tag PDF' to tag the document. Manually check the tag structure and reading order are correct using the tag tree.

Resources:

- W3C – Providing headings by marking content with heading tags in PDF documents.
- W3C – Using table elements for table markup in PDF documents.
- W3C – Using List tags for lists in PDF documents.
- Adobe – Edit document structure with the Content and Tags panels.

Tagged annotations

Overview: Annotations, including links, form fields and media are tagged properly so that assistive technology can perceive and read them. The most common accessibility error for tagged annotations is missing annotations for links.

Action: Hyperlinks are live in the source document before converting to PDF and the link text meaningfully identifies the link's purpose, such as this example: W3C – Providing link text that describes the purpose of a link.

Resource: W3C – Providing links and link text using the Link annotation and the /Link structure element in PDF documents.

Tab order

Overview: The tab order matches the document structure.

Action: Verify and adjust the Tab Order through the Accessibility Checker tool.

Resources:

- W3C – Ensuring correct tab and reading order in PDF documents.
- Adobe – Tab Order – Create and verify PDF accessibility.

Character encoding

Overview: All text in the PDF is correctly coded.

Action: Unicode fonts are used for text and special characters in the source document.

Resource: Adobe – Character Encoding - Create and verify PDF accessibility.

Tagged multimedia

Overview: The tool checks that all multimedia content, such as videos or embedded audio, in the document is tagged.

Action: Use the Tag Pane to assign tags to multimedia objects.

Resource: [Adobe – Tagged Multimedia – Create and verify PDF accessibility](#).

Screen flicker

Overview: The tool checks for elements that make the screen flicker.

Action: If content causes screen flicker, remove or modify the content.

Resources:

- [Adobe – Screen Flicker – Creative and verify PDF accessibility](#).
- [WCAG 2.3.1 Three Flashes or Below Threshold](#).

Scripts

Overview: The tool checks that the document's scripts do not interfere with assistive technology.

Action: Remove scripts identified by the tool.

Resource: [Adobe – Scripts – Check and verify PDF accessibility](#).

Timed responses

Overview: Documents that contain forms do not require users to respond within a fixed time.

Action: Remove scripts that set fixed timed user responses.

Resource: [Adobe – Timed Responses – Create and verify PDF accessibility](#).

Navigation links

Overview: Navigation links are active and are not repetitive.

Action: Check navigation links are live and correctly tagged. If the same link appears multiple times, provide the user with the option to skip it.

Resource: [Adobe – Accessible Links – Create and verify PDF accessibility](#).

Tagged form fields

Overview: All form fields are included in the tag structure.

Action: If the source document is available, export to PDF as a 'Tagged PDF'. If the source document is not available, form field tags can be manually assigned.

Resource: [Adobe – Tagged Form Fields – Create and verify PDF accessibility](#).

Form field descriptions

Overview: Form fields have an accessible text description (tool tip).

Action: Add text descriptions (tooltips) to the form fields.

Resource: Adobe – Field Descriptions – Create and verify PDF accessibility.

Figures alternate text

Overview: Alt text provides a textual equivalent for an image, enabling people using assistive technology to receive the important information in the visual. The tool checks that images in the document either have alternative text or are marked as artefacts.

- Informative images that convey information to the user include descriptive alt text.
- Purely decorative images, such as lines or colored backgrounds, are marked as artefacts.

There is a separate section in this compendium on alt text: see Alt text for images.

Whereas it is possible to include both short and long alt text in HTML and EPUB formats, a PDF contains a single alt text field. Elsevier's guidelines for embedding alt text in a PDF are:

- If the alt text consists of only a short description, include the short alt text.
- If the alt text includes both long and short descriptions, include the long alt text.

Action: Alt text can be added to images in the source document or in Adobe Acrobat.

Resources:

- W3C – Applying text alternatives to images with the Alt entry in PDF documents.
- W3C – Hiding decorative images with the Artifact tag in PDF documents.
- W3C Images Tutorial.
- DIAGRAM Center Image Description Guidelines
- WCAG 1.1.1 Non-text Content.

Nested alternate text

Overview: Screen readers will not read the alt text assigned to nested elements, and will instead read the alt text from the parent element. The tool identifies if alt text is present for nested elements.

Action: The alt text assigned to nested elements can be removed using the Tags panel.

Resources: Adobe – Nested alternate text – Create and verify PDF accessibility.

Alternate text – associated with content

Overview: Alternative content is associated with content on the page. The tool identifies where an element has is alt text but does not contain page content.

Action: The alt text can be adjusted using the Tags panel.

Resources: Adobe – Associated with content – Create and verify PDF accessibility.

Alternate text – hides annotation

Overview: The tool checker for alt text that hides an annotation. This occurs when an annotation is nested under a parent element with alt text.

Action: The alt text can be adjusted using the Tags panel.

Resources: Adobe – Hides annotation – Create and verify PDF accessibility.

Other elements alternate text

Overview: The tool checks for content that requires alt text that does not come under the earlier criterion 'Figures alternate text', such as multimedia and 3D models, and will raise a flag where it is missing.

Action: Alt text can be added to images in the source document or in Adobe Acrobat.

Resources: Adobe – Other elements alternate text – Create and verify PDF accessibility.

Table rows

Overview: The tool checks that table rows are placed in a tagged table container.

Action: Adjust the Table in the source document and reconvert to PDF. Table rows can also be manually tagged in the PDF.

Resources:

- W3C – Using table elements for table markup in PDF Documents.
- W3C – Using Adobe Acrobat Pro's Table Editor to repair mistagged tables.

Table TH and TD

Overview: Table header (TH) and table data (TD) cells are nested inside table rows (TRs).

Action: Adjust the Table in the source document and reconvert to PDF. Table rows can also be manually tagged in the PDF.

Resource:

- W3C – Using table elements for table markup in PDF Documents.

- [W3C – Using Adobe Acrobat Pro's Table Editor to repair mistagged tables](#).

Table headers

Overview: Table headers are corrected tagged as header cells (TH).

Action: Adjust the Table in the source document and reconvert to PDF. Table rows can also be manually tagged in the PDF.

Resources:

- [W3C – Using table elements for table markup in PDF Documents](#).
- [W3C – Using Adobe Acrobat Pro's Table Editor to repair mistagged tables](#).

Table regularity

Overview: Tables contain the same number of columns in each row, and rows in each column.

Action: Tables that contain merged or split cells may need adjustment in the PDF to reflect the correct row spans and/or column spans.

Resources:

- [W3C – Using table elements for table markup in PDF Documents](#).
- [W3C – Using Adobe Acrobat Pro's Table Editor to repair mistagged tables](#).

Table summary

Overview: A table summary can improve accessibility by explaining the purpose and structure of complex tables. Adobe lists this as an optional criterion.

Action: A table summary can be added using the Fix Reading Order tool – see the resource for a step-by-step guide.

Resource: [Adobe – Summary – Create and verify PDF accessibility](#).

List items

Overview: Each individual list item is contained within the structure of a list. If the checker fails, one or more list items are tagged incorrectly.

Action: Adjust the list in the source document and re-export to PDF. If the source document is not available, manually adjust the accessibility tags in the Tags panel.

Resource: [W3C – Using List tags for lists in PDF documents](#).

List Lbl and Lbody

Overview: Each list item contains two elements: (1) a list item label (Lbl) for the number or bullet character and (2) a list item body (LBody) for the content. If the checker fails, one or more elements is tagged incorrectly or missing.

Action: Adjust the list in the source document and re-export to PDF. If the source document is not available, manually adjust the accessibility tags in the Tags panel.

Resource: [W3C – Using List tags for lists in PDF documents](#).

Headings – appropriate nesting

Overview: The headings in a document are sequential and nested correctly, i.e. Heading 2 follows Heading 1, Heading 3 follows Heading 2, without skipping levels.

Action: Adjust the headings in the source document and re-export to PDF. If the source document is not available, manually adjust the accessibility tags in the Tags panel.

Resource: [W3C – Providing headings by marking content with heading tags in PDF documents](#).

Appendix 1: Elsevier PDF tagging

This section contains a list of PDF tags that Elsevier applies to its content.

Content block	Tag	Elsevier application
Elsevier logo	<Figure>	Enclose the Elsevier logo in a <Figure> tag Provide descriptive information for figure using the alt property: "Elsevier logo"
Dedication	<P>	
Acknowledgments (frontmatter) heading	<H1>	
Preface heading	<H1>	
Epilogue heading	<H1>	
Copyright line	<P>	
Figures	<Figure> <Caption> or <Figure> <Caption><P>	Tag the figure as <Figure> and caption as <Caption>. Mark sub-paragraphs within the caption as <P>
Abstract	<H2><P>	Enclose Abstract header in <H2> tag. Tag the abstract text in <P> tag or multiple <P> tags where multiple paragraphs are present
Biography / About the Authors / Editors	<P> <Figure>	Tag author biography as <P> Tag the author's picture as <Figure> with alt tag containing the author's name

Quote	<Quote> or <P><BlockQuote>	<Quote> A portion of text referencing work from another author, inline within a paragraph <BlockQuote> A large portion of text referencing work from another author. Wrap <BlockQuote> in <P>
Formula and Equations	<Formula>	Wrap in <Formula> tag
Tables	<Table>	Tables contain the same number of columns in each row and rows in each column
Table Caption	<Caption>	Tag a table caption as <Caption>
Table Row	<TR>	<TR> for a table row
Table Header	<TH>	<TH> for a column heading cell Attributes for a <TH> table column header: Scope = Column Attributes for a <TH> table row header: Scope = Row Attributes for a <TH> table column header that spans multiple columns; for example, two columns: Scope = Column; Column Span = 2
Table Data	<TD>	<TD> for a normal cell
Table Data (blank)	<TD>	Blank cells are tagged with empty <TD>
Table Footer	<TFoot>	Table footnotes are tagged using this element. Inside <TFoot> content is tagged using <TR><TD>
Nomenclature or Glossary or Key Terms or Acronyms	<H2><L><Li><Lbl><LBody>	Tag the Glossary header as <H2> Individual terms are tagged in a list
Keywords or Acronyms (inline text)	<P>	E.g. Keywords: Master Data Management (MDM), Program, Strategy, Scope.
Nested Lists	<L><LI><Lbl><LBody><L>....	Follow nested list as sublist
References	<H2><L><LI><Lbl><LBody>	Use <H2> for the Reference title. References section is tagged in a single list structure <L>, child of a <P> element. Use only one <P> and one <L> when the References section spans across multiple pages. E.g. Numbered: <H2>Reference <L><LI><Lbl>1.<LBody> NameandDate:<H2>Reference <L><LI><LBody>
Reference list body	<LBody>	Each reference is enclosed in a separate <LI> list item element
Reference label	<Lbl>	Numbered items are wrapped in <Lbl> and referenced text in <LBody>
Further/suggested reading	<H2> <L>	Use <H2> for the Further Reading header. Enclose further reading items in a list structure <L>
Useful addresses	<P>	
Websites	<Link>	
Appendix heading	<H2>	
Bibliography heading	<H2>	

Questions and answers heading	<H2>	
Content in a secondary language or with hyphenation breakings	<Span>	Span clause is used for language attributes and for breaking hyphenation words. **Note:** Recommendation to tag soft hyphens as <Artifact> to avoid NVDA screen reader software from announcing "soft hyphen"
Footnotes	<Reference> <Note> <Lbl>	References to footnotes and affiliations (e.g. "a"), are enclosed in a <Reference> element and their corresponding footnote text is enclosed in <Note> The structure of the elements follows the logical reading order where the footnote text is read directly after its reference in the main text. This can be accomplished by placing the <Note> after the <Reference> tag (e.g. after the given author's name), within the same <P> tag
Page numbers	<Artifact>	Enclose all page numbers in <Artifact> tag
Links	<Link> <Link-OBJR>	Link structure should consist of the following elements: - A parent <Link> tag - One or more child tag(s) containing the link text. - A Link–OBJR tag which is also a child of the <Link> tag
QR codes	<Figure>	A single QR code is tagged as <Formula> with alt text that describes the purpose of the QR code. A list of QR codes is tagged as a list structure <L> including <Formula> tag with alt text

Link back to section on PDF tagging.

Microsoft PowerPoint accessibility

The following provides guidance on PowerPoint accessibility and links to key resources.

Accessibility Checker

The built-in Microsoft Accessibility Checker quickly checks a PowerPoint document and presents a list of actions to make it accessible.

Find the Accessibility Checker in the Review tab and select 'Check Accessibility'.

In the Accessibility Checker results box that appears, you can also tick the box to keep the checker running while you work on a document, which places an accessibility status in the footer of the document.

Run the checker tool before completing a document to verify many of the points below.

Key resource: Microsoft – Improve accessibility with the Accessibility Checker.

Filename and properties

A PowerPoint contains file property metadata which describes the document and increases its online discoverability and search engine optimisation. The metadata entered in PowerPoint is also taken through to a PDF during conversion.

Find the document properties under 'Info' in the File tab.

Save the document in the format '.pptx', to enable accessibility features such as the accessibility checker and testing.

Key resources:

- Microsoft – View or change the properties for an Office file.
- WCAG 2.4.2 Page titled.

Alt text for visual content

Alt text provides a textual equivalent for an image, enabling people using screen readers to receive the important information in the visual. PowerPoints can include a combination of image types:

- Informative: Images that convey information to the user contain alt text.
- Decorative: Purely decorative images, such as lines or colored backgrounds, are marked as decorative and do not contain alt text.
- Functional: Images that function as a link or button contain alt text that describes their purpose.

Add a contextually relevant description in the alt text field.

There is a separate section in this compendium on alt text: see <u>Alt text for images</u>.

Key resources:

- <u>Microsoft – Add alt text to visuals</u>.
- <u>W3C Images Tutorial</u>.
- <u>DIAGRAM Center Image Description Guidelines</u>.

Choosing a template

If you are looking to create a new template, Microsoft has a range of accessible templates. Select New from the File menu and search in the Online Templates and Themes field for 'accessible templates'.

Key resource: <u>Microsoft – Create accessible slides</u>.

Slide layout

Where possible include a title at the top of the slide. Adding a unique descriptive title to each slide makes it easier for all users to navigate the presentation. Add a number or a way of distinguishing between slides with the same title.

For slides where a title might not naturally appear, a hidden slide title (positioned off the page) can be added using the Microsoft Accessibility Checker.

Key resource: <u>Microsoft – Create accessible slides</u>.

Reading order

Using the default slide layouts in PowerPoint assigns the reading order for the content on a slide, starting with the title and moving through the navigation order built into the slide layout.

The Selection Pane (Home > Arrange > Selection Pane) can be used to check and adjust the reading order for a given slide. The Accessibility Checker will also raise a query where a default slide layout has not been used.

The reading order in this pane is in reverse order. Assistive technologies will read the bottom item in the list first (usually the title) and work through each in turn.

Key resource: <u>Microsoft – Create Slides with an Accessible Reading Order</u>.

Font choice and font size

Clear fonts for readability, such as Arial, Aptos or Calibri.

Minimum font size of 18pt, with larger font size for headings. Bear in mind that the audience for a PowerPoint may not be sat in the same proximity to the presentation.

White space around the text and visual content for a readable experience.

Color contrast

Ensure there is sufficient contrast between the text and background colors. The built-in Microsoft Accessibility Checker will identify insufficient color contrast.

Key resources:

- TPGi Colour Contrast Analyser
- WebAim Contrast Checker

Avoid using color or formatting alone to convey meaning

Using formatting or color as the only way to convey meaning or emphasis may mean that users miss out on important information. This includes use of color; formatting such as bold, italic, or underline; or the style or size of font.

Key resource: W3C – Use of Color.

Informative links

Avoid adding full hyperlink threads on PowerPoint slides. Instead, display meaningful text that clearly communicates what the user will find when they select it. For example, Elsevier Accessibility homepage.

Use descriptive link text. Screen reader users have the ability to select from a list of all the links in a document, and unique, clear links are quickly identifiable.

Key resource: Microsoft – Add a Hyperlink to a Slide.

Tables

Add simple tables if needed, avoiding merged or split cells.

In the Design tab, check that the correct header row box(es) are checked. Click inside the table before doing the following:

- Check the 'Header Row' box where the header appears in the top row.
- Check the 'First Column' box where the header appears in the first column.

Key resource: [Microsoft – Tables in PowerPoint](#).

Videos

There is a separate section in this compendium on videos: see Video content accessibility.

Include closed captions files for videos.

Ensure that the visual information in the video is sufficiently described in the narrative and captioning. If there are pauses in the video where visual information is conveyed, add an audio description track.

Test your PowerPoint with a screen reader

Spot-check your PowerPoints using a screen reader such as Narrator (built-in with Windows) or VoiceOver (built-in with Mac). Navigate through the screens to check the reading order.

Key resource: [Microsoft – Test Accessibility with a Screen Reader](#) for guidance on using Narrator.

Further resources

[Microsoft - Make your PowerPoint presentations accessible to people with disabilities](#).

[WebAIM – PowerPoint accessibility](#).

[AHEAD – Accessible PowerPoint Presentations](#).

[University of Colorado Boulder – Understanding PowerPoint Accessibility](#).

Accessibility metadata for CRC journals

This section provides guidance for societies which handle their own journal production via their own suppliers and share their content as **Camera Ready Copy** (CRC) with Elsevier.

We have compiled a list of the Accessibility Metadata Properties that we have identified for Elsevier published content. If your content achieves one or more of these features, and you wish to ensure these are communicated to the reader, please reference / include them as accessibility metadata in a JSON file, and we will ensure this information is shared with the reader on your behalf.

Should you wish to declare additional features for your content, please do reach out to us for support to ensure we will consume the additional data (features).

In practice, accessibility metadata is identified for each article, and this identification will likely be carried out by your final-article supplier. The supplier should provide the list of identified accessibility features in a JSON format, following the common structure specified by Schema.org to describe the article's accessibility features.

Elsevier used the following guidelines to aid our approach (more recent versions may be available):

Schema.org Accessibility Properties for Discoverability Vocabulary

Web Content Accessibility Guidelines (WCAG) 2.2

NISO_RP-47-2024_JATS4R_Accessibility_v1.0.pdf

Schema.org Accessibility Metadata - Accessible Publishing Knowledge Base

Note 1: Accessibility features are only declared if they are achieved; guidance does not appear to require us to advertise if an accessibility feature has not been achieved.

Note 2: For Accessibility Hazards, we have been unable to identify industry standards regarding benchmarks for hazards. Therefore, for Elsevier we have decided to declare Unknown Hazards if there is multimedia content in the article, and "none" if there is no multimedia content in the article.

The following sections list the Accessibility Metadata Properties that Elsevier has identified for its published content.

Accessibility Feature

JSON property: *accessibilityFeature*

What is it?: The accessibility Feature property provides a list of all the applicable accessibility characteristics of the content. It allows a user to discover these characteristics without having to parse or interpret the structure of the content.

List of Accessibility Features that can be applied for the specified category. Apply feature if criteria met:

Feature name	JSON value	Feature description	Relevant for content formats
Audio descriptions	audioDescription	Audio descriptions are available (e.g., via an [HTML] track element with its attribute set to "descriptions"). (audio track describes the video content)	XML HTML PDF
Closed Captions	closedCaptions	Indicates that synchronized closed captions are available for audio and video content. Closed captions are defined separately from the video, allowing users to control whether they are rendered or not, unlike open captions.	XML HTML PDF
Described Math (Math ML)	describedMath	Textual descriptions of math equations are included, whether in the alt attribute for image-based equations, using the alt text attribute for [MathML] equations, or by other means.	XML HTML PDF
Alt Text Long Descriptions	longDescription	Descriptions are provided for image-based visual content and/or complex structures such as tables, mathematics, diagrams, and charts.	XML HTML PDF
Reading Order	readingOrder	The reading order of the content is clearly defined in the markup (e.g., figures, sidebars and other secondary content has been marked up to allow it to be skipped automatically and/or manually escaped from.	HTML PDF
Structural Navigation	structuralNavigation	The use of headings in the resource fully and accurately reflects the document hierarchy, allowing navigation by assistive technologies.	XML HTML PDF

Tagged PDF	*taggedPDF*	The contents of the PDF have been tagged to permit access by assistive technologies.	PDF
Transcript	*transcript*	Indicates that a transcript of the audio content is available.	XML HTML PDF
Synchronised Audio Text	*synchronizedAudioText*	Describes a resource that offers both audio and text, with information that allows them to be rendered simultaneously. The granularity of the synchronization is not specified. This term is not recommended when the only material that is synchronized is the document headings. (Captions that are timed to audio/video - If there is a vtt file with captions)	XML HTML PDF
DRM free	*unlocked*	No digital rights management or other content restriction protocols have been applied to the resource. DRM schemes are often applied to digital publications to protect them from being copied, but these schemes, or the rights applied to the content, can sometimes interfere with the ability of assistive technologies to access or play back the text.	XML HTML PDF
MathML	*MathML*	Identifies that mathematical equations and formulas are encoded in [MathML].	XML HTML PDF
High Contrast Audio	*highContrastAudio*	Audio content with speech in the foreground meets the contrast thresholds set out in WCAG Success Criteria 1.4.7 [WCAG2].	XML HTML PDF
Accessibility Unknown	*Unknown*	Indicates that the author has not yet checked if the resource contains accessibility features. This value is only intended as a placeholder until an accessibility review can be completed. The unknown value must not be set with any other feature value.	XML HTML PDF

Hazards

JSON property: *accessibilityHazard*

What is it? A characteristic of the described resource that is physiologically dangerous to some users. As mentioned above, we are unable to identify industry standards regarding benchmarks for hazards. So, it has been decided to declare "unknown" hazards if there is multimedia content in the article and "none" if there is no multimedia content in the article.

List of Accessibility Features that can be applied for the specified category. Apply feature if criteria met:

Feature name	*JSON value*	Feature description	Relevant for content formats
No hazards	*none*	Indicates that the resource does not contain any hazards. It is recommended to use the "none" value when there are no hazards instead of individual statements for noSoundHazard, noMotion SimulationHazard, and noFlashingHazard. The "none" value must not be set when specifying either a known hazard or the unknown value. It should not be set when negative hazard claims are made.	XML HTML PDF
Unknown hazards	*unknown*	Indicates that the author cannot determine if the resource presents any hazards. It is recommended to use the "unknown" value when all hazards are unknown instead of individual statements for unknownSoundHazard, un knownMotionSimulationHazar d, and unknownFlashingHazard. The unknown value must not be set when specifying either a known hazard or the" none" value. It should not be set with the individual unknown hazard value.	XML HTML PDF

Accessibility Summary

JSON property: accessibilitySummary

What is it? A human-readable summary of specific accessibility features or deficiencies, consistent with the other accessibility metadata but expressing subtleties such as "short descriptions are present but long descriptions will be needed for non-visual users" or "short descriptions are present and no long descriptions are needed."

The accessibilitySummary property is a free-form field that allows authors to describe the accessible properties of the resource. As a result, it does not have an associated vocabulary.

Features to declare undue burden, or WCAG compliance do not appear to be available in Schema.org vocabulary. Elsevier will be approaching this by adding references in the Accessibility Summary instead.

Relevant for formats: XML, HTML, PDF.

Access Modes

JSON property: *accessMode*

What is it? An access mode through which the intellectual content of a described resource or adaptation is communicated (i.e., the human sensory perceptual system or cognitive faculty through which a person may process or perceive information).

List of Accessibility Features that can be applied for the specified category. Apply feature if criteria met:

Feature name	*JSON value*	Feature description	Relevant for content formats
Auditory	*auditory*	The auditory value is used to indicate that there is an auditory component to the content (e.g., audio tracks on their own or as part of a video, or an audiobook)/Indicates that the resource contains information encoded in auditory form. The auditory value does not have to be set if the audio does not include information necessary to understand the content (e.g., background noises in an interactive game or mood	XML HTML PDF

		music)/This value is not set when the auditory content conveys no information. For example, an instructional video might include background music while all the necessary information to complete the task is conveyed visually and/or through text captions.	
Textual	*textual*	The textual value is used to indicate that a publication contains text content. This value is the most used for digital publications, as most publications contain at least some text content. If a publication contains images of text, the visual access mode is also set (or set instead, if the publication only contains images of text). If, however, an image format allows the text content to be retained in text form (e.g., SVG), the textual value is also specified. Note: This value is not set if the only textual content is for navigational purposes. For example, an audiobook might include a table of contents, but it is not necessary to read the table of contents to read the work. Likewise, books with synchronized text-audio playback may only include headings to allow structured navigation.	XML HTML PDF
Visual	*visual*	The visual value is used to indicate that a publication contains visual content such as images, graphics and video. This value is not set if the visual content does not contain any information necessary to understand the content (e.g., decorative images).	XML HTML PDF

Sufficient Access Modes

JSON property: accessModeSufficient

What is it? A list of single or combined accessModes that are sufficient to understand all the intellectual content of a resource. Although the access modes indicate how the information is encoded in its default form, knowing the encoding only describes one possible perceptual pathway through the content. For example, a book with textual and visual content will, at the most basic level, require an individual who can read text and view images. The author of the content may, however, provide alternatives to a specific access mode that allows the content to be wholly consumed in another manner. The use of alternative text and extended descriptions, for example, can allow a user who cannot perceive visual content to read all the information in textual form (e.g., through text-to-speech playback).

List of Accessibility Features that can be applied for the specified category. Apply feature if criteria met:

Feature name	*JSON value*	Feature description	Relevant for content formats
Auditory	*auditory*	Indicates that auditory perception is necessary to consume the information.	XML HTML PDF
Textual	*textual*	Indicates that the ability to read textual content is necessary to consume the information. Note that reading textual content does not require visual perception, as textual content can be rendered as audio using a text-to-speech capable device or assistive technology.	XML HTML PDF
Visual	*visual*	Indicates that visual perception is necessary to consume the information.	XML HTML PDF

Podcast and audio recordings accessibility

Introduction

If your platform or content includes any audio content, including podcasts, interviews, recorded presentations, or other audio materials, it is important to ensure that content is accessible to all readers. This includes people who are deaf or hard of hearing, as well as those who cannot hear audio in their current environment or prefer reading over listening.

The legal bottom line: Audio content falls under the Americans with Disabilities Act (ADA) in the United States and the European Accessibility Act (EAA) in Europe. Both laws require digital content to meet accessibility standards. WCAG 2.1 Level AA is the technical standard for both regulations and reference.

Your responsibility: Whether you create audio content in-house or hire a vendor to produce or host it, you are responsible for ensuring the final published content meets accessibility requirements. This means verifying that transcripts are complete, accurate, and properly formatted before content goes live. Whilst Elsevier platforms will publish your captions and transcripts, it is important that we receive them from you to publish.

Requirements

Every podcast episode, interview recording, or audio file includes a complete, accurate text transcript.

What the transcript includes:

- **All spoken words.** Your transcript contains everything said, exactly as it is said, by every speaker.

- **Speaker identification.** Clearly label each speaker by name at the start of each new speaker's contribution (for example, "Dr. Smith:" or "Interviewer:"). This is essential for episodes with multiple speakers.

- **Significant non-speech audio.** Include descriptions of important sounds that convey meaning, enclosed in brackets. Examples include [applause], [background music], [laughter], and [sound of papers shuffling]. You can omit ambient noise that does not affect understanding.

- **Timestamps.** Include timestamps at logical breaks (speaker changes, section breaks) in the format [MM:SS] or [HH:MM:SS]. This allows readers to locate specific content and verify quotes.

Transcript format requirements

- **Save the transcript in an accessible TXT format**.

- **Use clear formatting:** bold speaker names, section headings, single or 1.5-line spacing, and blank lines between speakers or paragraphs for readability.

Accuracy standard

Transcripts should be accurate. If you use automated transcription tools, review and correct the transcript before publication. Pay special attention to:

- Speaker names and affiliations;

- Technical or scientific terminology;

- Proper nouns and institutional names;

- Numerical data or citations.

Clarifying responsibilities: internal production vs. vendor produced content

If you produce the audio internally: You are responsible for creating or obtaining the transcript and ensuring it meets the requirements listed above.

If a vendor or service provider produces the audio: Your contract or service agreement should specify:

- The vendor will deliver a transcript along with the final audio;

- The transcript will meet the formatting and accuracy standards outlined in the Requirements section;

- You will verify the transcript before publication.

Resources

Tools and services for obtaining transcripts

You do not need to manually transcribe audio. Several services can generate transcripts for you.

Automated AI transcription services (cost-effective for initial transcript generation, though they require review for accuracy):

- Otter.ai: A popular AI-powered tool that provides real-time transcription with speaker identification. Particularly useful for meetings and interviews, with collaborative editing features.

- [Descript](#): An all-in-one platform that combines AI transcription with audio and video editing. Its unique text-based editing approach lets you edit audio by editing the transcript.

- [Rev (AI tier)](#): Fast, affordable AI-generated transcripts with quick turnaround. Best for straightforward content, though technical terminology may need review.

Professional transcription services (human-verified for accuracy, with higher cost but recommended for specialized content):

- [Rev (Premium tier)](#): Human transcriptionists ensure high accuracy with better handling of difficult audio, specialized vocabulary, and multiple speakers. Ideal for scientific or academic content.

- [3Play Media](#): Comprehensive accessibility solutions provider combining AI with human review. Features specifically designed for WCAG and ADA compliance standards.

- [Verbit](#): Enterprise-grade service using AI combined with professional human verification. Specializes in complex, high-stakes content such as legal proceedings, academic lectures, and corporate communications.

Free manual transcription tools: If you prefer to create transcripts manually or need precise control over formatting, these free tools can help:

- [oTranscribe](#): Browser-based tool with interactive timestamps, playback speed control, and keyboard shortcuts.

- [Audacity](#): Free audio editing software that lets you slow down playback, add labels at specific timestamps, and export text files.

- [Express Scribe (Free version)](#): Dedicated transcription software with foot pedal support, variable playback speed, and keyboard hotkeys.

Manual transcription tips: use keyboard shortcuts to pause and play without switching windows. Slow playback to 75 to 80 percent speed for dense content. Insert timestamps as you go rather than adding them later.

How to choose a service

Consider your accuracy requirements, timeline, budget, and content volume. For scientific or specialized content, we strongly recommend professional services or AI services followed by careful manual review to ensure technical terms and proper nouns are correct.

Official standards and guidelines

- WCAG 2.1 Success Criterion 1.2.1: The official W3C explanation of requirements for prerecorded audio-only content with practical examples and techniques;

- W3C Making Audio and Video Media Accessible: Comprehensive guidance on creating accessible multimedia content from the Web Accessibility Initiative.

Practical guides from accessibility experts

- The A11Y Project Guide to Transcripts: Community-driven resource explaining what transcripts are and why they matter;

- Nomensa: How to Write a Good Transcript: Detailed walkthrough of transcript formatting and quality standards from a leading accessibility consultancy.

Video content accessibility

Introduction

Video content is one of the most powerful ways to share information, tell stories, and connect with audiences. However, not everyone experiences video in the same way. People who are deaf or hard of hearing cannot access spoken content. People who are blind or have low vision may miss important visual details. Making video content accessible means ensuring that everyone can understand and engage with your content, regardless of their abilities.

Creating accessible video content is also good for your audience and your organization. Accessible videos reach more people, improve the user experience for everyone, and support your commitment to inclusion and equality.

Requirements

The core requirements for video accessibility are:

- Every video that includes speech includes captions in a closed caption format, and an untimed text transcript.

- Every video that includes important visual information includes audio description or a descriptive transcript.

The specific requirements depend on the type of video content you create.

Captions for prerecorded video

If your video includes speech, you should provide closed captions. Captions are the text version of the spoken words and important sounds in your video. They appear on the screen at the same time as the audio.

File deliveries: Closed captions should be delivered as TTML and webVTT files, alongside a TXT transcript document (details in <u>Transcripts for prerecorded video</u>).

File naming: Match the description file name with the video file name, ending with .vtt. For example, to tag English closed captions the suffix should read -cc-en.vtt. French closed captions would read -cc-fr.vtt.

Captions include:

- All spoken dialogue and narration;
- The name or label of the person speaking when there are multiple speakers;

52

- Descriptions of important sounds such as music, laughter, applause, footsteps, doors closing, or background noises that add meaning to the content. These are captured in brackets; for example, [heartbeat slows];

- Accurate spelling, grammar, and punctuation.

Captions should be synchronized with the audio. This means the text appears at the same time the words are spoken or the sounds occur.

Captions should be easy to read. They are not obscured by, and do not obscure, the visual content. Default placement is centered in the bottom two lines of the screen, but placement can vary depending on the content of the video.

Keep each line of text short, with no more than 32 characters per line and no more than two lines of text on the screen at the same time. Each caption should stay on the screen for at least one second.

Appendix 2: Elsevier video closed captioning contains the requirements that Elsevier applies to its journal videos.

This compendium also includes a section on audio:
see Podcast and audio recordings accessibility.

Creating captions

You have several options for creating captions.

Automatic captions

Many video platforms such as YouTube, Vimeo, and Zoom can automatically generate captions using speech recognition technology. Automatic captions are created quickly and at no cost.

However, automatic captions are not accurate enough on their own. Studies show that automatic captions are typically 60% to 80% accurate under ideal conditions. Accuracy can drop to 50% or lower if the audio quality is poor, the speaker has an accent, or the content includes technical terms or names.

You should always review and edit automatic captions before you publish your video. Inaccurate captions can confuse viewers or provide incorrect information.

Manual captions

You can create captions manually by typing the text as you watch the video. Most video platforms include a caption editor that allows you to type captions and set the timing for each line of text. This method takes more time than using automatic captions but gives you full control over accuracy.

Professional captioning services

You can hire a professional captioning service to create captions for your video. Professional services typically provide captions with 99% or higher accuracy. Some services use human transcribers, while others use a combination of automatic speech recognition and human review.

Captioning resources

Captioning tools and services

Rev provides automatic and human-generated captions with up to 99% accuracy. Good for high-quality captions. Paid service.

Otter.ai is an automatic transcription tool that works for live and prerecorded video. Includes a free plan. Good for quick automatic captions.

3Play Media provides professional captioning and audio description services. Good for large volumes of content or when you need both captions and audio description. Paid service.

Caption file editors

Subtitle Edit is a free caption editor for Windows. It supports more than 300 caption formats and includes audio waveform display.

Aegisub is a free caption editor for Windows, macOS, and Linux. Good for detailed caption editing and timing. Free to use.

Transcripts for prerecorded video

Transcripts are text documents that include all of the spoken words and descriptions of sounds in your video. Transcripts are helpful for many users, including people who are deaf and blind, people who prefer to read rather than watch, and people who want to search for specific information in your video.

Transcripts are not required for most video content under accessibility regulations. However, they are strongly encouraged because they improve the accessibility, discoverability, and usability of your video. Transcripts improve search engine optimization, making your content easier to find online.

A transcript includes:

- All spoken dialogue and narration;

- Speaker identification;

- Descriptions of important sounds, captured in brackets; for example, [heartbeat slows];

- Descriptions of important visual information if the video includes visual content.

The text transcript document should be delivered in the file format TXT.

Resources for transcription

- Trint converts audio and video files to text in more than 40 languages. You can export transcripts as caption files. Paid service.

- Descript is a video and audio editor with automatic transcription. You can edit videos by editing the text. Includes a free plan.

Audio description for prerecorded video

If your video includes important visual information that is not explained in the audio, you should provide audio description. Audio description is a spoken narration that describes the visual content of your video.

Audio description includes:

- Actions and movements that are important to understanding the content;

- Text that appears on the screen such as titles, labels, captions, or slides;

- Changes in setting or scene;

- The appearance of people or objects when this information is important;

- Facial expressions or gestures that communicate meaning.

Audio description is added during pauses in the dialogue or narration. The description should be clear and concise so it fits naturally into the available time.

Not all videos need audio description. If all of the important information in the video is already spoken in the audio, you do not need to add audio description. For example, a video of a person speaking directly to the camera where no additional visual information is shown may not need audio description.

Creating audio description

You have several options for creating audio description.

Write a script

The first step is to write a script that describes the important visual information in your video. Watch your video carefully and identify the visual content that is not explained in the audio. Write clear, concise descriptions that fit into the natural pauses in the dialogue or narration.

Focus on describing what you see, not interpreting what it means. For example, write "Sarah points to the chart" instead of "Sarah seems excited about the data."

Record the audio description

Once you have a script, you need to record the audio description. You can hire a professional narrator or use text-to-speech software to create the recording. The voice should be clear and easy to understand.

Using professional audio description services

You can hire a professional audio description service to create audio description for your video. Professional services will write the script, record the narration, and deliver the audio description file in the format you need.

Resources for audio description services

- [3Play Media Audio Description](#) provides professional audio description with flexible output formats. Paid service.

- [Rev Audio Description](#) provides professional audio description with human describers. Paid service.

Appendix 2: Elsevier video closed captioning

This section contains a list of closed captioning requirements that Elsevier applies to its content.

Text

Case: Mixed case characters are to be used for readability. However, capital letters are used for an individual word or a single phrase to denote emphasis or shouting.

Font: A font, or typeface, is a set of characters at a certain size, weight, and style. Consistency throughout the media is extremely important. Elsevier's base font requirements are as follows:

The font should include upper- and lowercase letters with descenders that drop below the baseline. Do not allow overlap with other characters, ascenders, or descenders.

Caption Backdrop: The default background color for captions should be a black text box to show the white text color clearly.

Line division

When a sentence is broken into two or more lines of captions, it should be broken at a logical point where speech normally pauses unless it would exceed the 32-characters-per-line requirement**.**

Caption placement

Caption placement (vertical and horizontal) refers to the location of captions on the screen. Placement can vary, depending on the content of the video.

- Captions default placement is centered in the bottom two lines of the screen.

- Do not put more than two lines per caption except where exceptions are noted below.

- Captions that have two lines should have left-aligned text.

- For media with one offscreen narrator and no preexisting graphics, captions should be left-aligned at center screen on the bottom two lines.

- Single-line captions should be centered on the bottom line.

- Three- or four-line captions are acceptable only if a one- or two-line caption would interfere with preexisting graphics or be confusing with regard to speaker identification.

- Captioned dialogue should be placed under the speaker as long it does not interfere with graphics or other preexisting features.

Language mechanics

Spelling and capitalization

- Be consistent in the spelling of words throughout the production, including vocabulary that can be spelt either as one or two words or in hyphenated form. For conventional words, dictionaries, and style guides should be followed.

- Do not emphasize a word using all capital letters except to indicate screaming.

- Capitalize proper nouns for speaker identification. All other speaker identification should be lowercased unless this identification is being used as a proper noun.

- Lowercase sound effects, including both description and onomatopoeia, except when a proper noun is part of the description.

Punctuation and grammar

- Always follow conventional rules of Standard English to the greatest extent possible (unless indicated differently by the producer), utilizing style guides to reach sound decisions.

- Captioning spontaneous speech can be very difficult, as real conversations often contain improper grammar or run-on sentences, dialect, and slang. Problems are compounded with restrictions of time and space. As punctuation

cannot correct non-grammatical speech, its role in captioning is to facilitate clarity and ease of reading.

- When word order alone is not sufficient to establish the relationships between words, it may be necessary to resort to punctuation that is sometimes unique to the captioning process.

Hyphens and dashes

- Nonessential information that needs special emphasis should be conveyed by double hyphens or a single long dash.

- When a speaker is interrupted and another speaker finishes the sentence, the interruption should be conveyed by double hyphens or a single long dash.

- When a speaker stutters, caption what is said.

- When captioning spelling (including fingerspelling), separate capital letters with hyphens.

Quotation marks

- Use quotation marks for onscreen readings from a poem, book, play, journal, or letter. However, use quotation marks and italics for offscreen readings or voice-overs.

- Beginning quotation marks should be used for each caption of quoted material except for the last caption. The last caption should have only the ending quotation marks.

Spacing

- Spaces should not be inserted before ending punctuation, after opening and before closing parentheses and brackets, before and after double hyphens and dashes, or before/between/after the periods of an ellipsis.

Sound effects

- Sound effects are sounds other than music, narration, or dialogue. They are captioned if it is **necessary to the understanding of the media**.

- A description of sound effects, in brackets, should include the source of the sound.

- Description can be eliminated if the source of the sound can clearly be seen onscreen.

- Place the description of the sound effect as close as possible to the sound source.

Speaker identification

- Establishing the identity of both onscreen and offscreen speakers is vital for clarity. When names are unknown, be as specific as possible in providing a label.

- Use caption placement to identify an onscreen speaker by placing the caption under the speaker.

- If offscreen speakers are speaking simultaneously, appropriate speaker identification should be added.

- When a speaker cannot be identified by placement and his/her name is unknown, identify the speaker using the same information a hearing viewer has (e.g., "female #1," "male narrator").

- Do not identify the speaker by name until the speaker is introduced in the audio or by an on-screen graphic.

- If there is only one narrator, identify as (male narrator) or (female narrator) at the beginning of the media. It is not necessary to identify gender for each caption thereafter.

Synchronization

Captions should closely match the original audio.

- Borrowing 15 frames before and after the audio occurs is hardly noticeable to the viewer. This "borrowing" technique can be used only when presentation rate is a factor.

- Do not simultaneously caption different speakers if they are not speaking at the same time.

Special Considerations

When a word is spoken phonetically, caption it the way it is commonly written.

Numbers

- Unless otherwise specified, spell out all numbers from one to ten, but use numerals for all numbers over ten.

- Spell out any number that begins a sentence as well as any related numbers.

- Spell out nonemphatic numbers.

- Numerals with four digits can either have a comma or not. Be consistent throughout the media production. For numerals having over five digits, a comma is necessary.

- Use numerals in a listing of numbers if one or more is above ten and these occur in one caption or one sentence.

- Use numerals when referring to technical and athletic terms.

- When indicating sequence, capitalize the noun and use numerals. Exceptions are the indication of line, note, page, paragraph, size, step, or verse.

Dates
- Use the numeral plus the lowercase "th," "st," or "nd" when a day of the month is mentioned by itself (no month is referred to).

- When the day precedes the month, use the numeral plus the lowercase "th," "st," or "nd" if the ending is spoken.

- Use the numeral alone when the day follows the month.

- When the month, day, and year are spoken, use the numeral alone for the day, even if an ending ("th," "st," or "nd") is spoken.

Time
- Indicate time of day with numerals only.

- Always use numerals when the abbreviation "a.m." or "p.m." is present. Double zeros are not necessary to indicate minutes of the hour when a whole number is used with a.m. or p.m.

Periods of time
- A decade should be captioned as "the 1980s" (not "the 1980's") and "the '50s" (not "the 50's").

- If a decade or century is in noun form, do not use hyphens.

- If a period of time is used as an adjective, use a hyphen.

Fractions
- Either spell out or use numerals for fractions, keeping this rule consistent throughout the media. If using numerals, insert a space between a whole number and its fraction.

- Do not mix numerals and spelt-out words within the same sentence.

- If a fraction is used with "million," "billion," "trillion," etc., spell out the fraction.

- Fractions expressed in figures should not be followed by endings, such as "sts," "rds," "nds," or "ths."

Percentages

- Use numerals and the per cent sign to indicate all percentages except at the beginning of a sentence.

Measurements

- Spell out units of measurement, such as "inches," "feet," "yards," "miles," "ounces," "pounds," and "tablespoons." However, if spoken in shortened form, symbols should be used. For example, if the original narration is "I'm five eight," it should be captioned as: I'm 5'8".

- For whole numbers, use numerals. For example, caption "3 cups of sugar" instead of "three cups of sugar."

Link back to section on Captions for prerecorded video.

Visio flowchart and diagram accessibility

This is a guide to Visio diagram accessibility with links to key resources.

Microsoft provides comprehensive guidelines which should be consulted in the first instance: Make Your Visio Diagram Accessible to People with Disabilities.

Accessibility Checker

The built-in Microsoft Accessibility Checker quickly checks a Visio diagram and presents a list of actions to make it accessible.

Find the Accessibility Checker in the Review tab and select 'Check Accessibility'.

In the Accessibility Checker results box that appears, you can also tick the box to keep the checker running while you work on a document, which places an accessibility status in the footer of the document.

Run the checker tool before completing a document to verify many of the points below.

Key resource: Microsoft – Check your diagram with the Accessibility Checker.

Using a template

Visio has a set of templates that include default accessibility features, such as the navigation order, which can greatly reduce adjustments later in production. It is possible to remove, add, and change shapes and connectors within the template.

Key resources:

- Microsoft: Create a diagram from a template.

- Microsoft: featured Visio templates and diagrams.

Establishing the reading order

A screen reader or keyboard user will use the Tab key to navigate through the shapes in a Visio diagram. It is therefore important that the reading order of the shapes is correct for a meaningful user experience.

The reading order is generally set by the order in which the shapes were added to the diagram. However, you can edit the order in the Diagram Navigation pane: **View** > **Task Panes** > **Navigation**. Drag and drop the shapes into the desired reading order.

Key resources:

-   [Microsoft: Adjust the reading order](#).

-   [Microsoft: Use a screen reader to read Visio diagrams](#)

Alt text for diagrams, visuals, master shapes and pages

Visio diagrams and flowcharts are complex images that communicate information visually. Adding alt text to all relevant elements and stages in your diagram ensures that everyone can engage with it; for example, people using read aloud software to understand the purpose of shapes, images and entire pages.

The Web Content Accessibility Guidelines (WCAG) requirements for images

Shapes, images, and master shapes:

-   Right-click the shape or image, select **Format Shape**, then go to the **Size & Properties** tab (the icon with four arrows pointing outwards).

-   In the Alt Text section, provide both a title and a description that briefly but informatively describes the element's content or function in the flowchart.

-   If your image is purely decorative, state this as the alt text.

Pages:

-   Add alt text to a page so that screen reader users receive a high-level summary of the page.

-   For each page, press Shift+F5 or right-click the page tab, select **Alt Text**, and type a title and description that summarises the page's content or purpose.

The alt text in question should conform to existing Elsevier alt text guidelines, particularly highlighting where visual elements such as shapes, arrows and use of colour indicate a differentiation or a decision.

Key resources:

-   [W3C – Complex images](#).

-   [Microsoft – Add alt text to diagrams, visuals, master shapes, and pages](#).

Use of colour

Text colour contrast: Aim for a minimum of 4.5 to1 text to background contrast ratio to meet the [WCAG 1.4.3 Contrast criterion](#).

Non-text colour contrast: Ensure a minimum 3 to 1 contrast ratio between adjacent elements, such as a coloured box placed over a box of another colour. See WCAG 1.4.11 Non-text Contrast.

Background images: Avoid placing busy or complex images behind text. Where a background image is used, add an outline around the text that results in a 4.5 to 1 text to background contrast.

Use of colour: Do not use colour alone to distinguish. Consider the use of shades, lines, patterns (sparingly), text labels, and symbols.

Key resources:

- Colour Contrast Analyzer

- WebAim Contrast Checker

Font choice and font size

Choose clear fonts for readability, such as Arial, Aptos or Calibri.

Use a minimum font size of 18pt, with larger font size for headings.

Avoid all capital letters, excessive italics, or underlining.

Use built-in list styles to structure information and make lists easily navigable.

Create white space around the text for a readable experience, using Paragraph Spacing.

Informative links

Avoid adding full hyperlink threads. Instead, display meaningful text that clearly communicates what the user will find when they select it. For example, Elsevier Accessibility homepage.

Avoid generic link text such as 'Click here' or 'Learn more'. Screen reader users have the ability to select from a list of all the links in a document, and unique, clear links are quickly identifiable.

Key resource: Microsoft: Add or remove a hyperlink in a Visio drawing.

Exporting to an accessible PDF

When saving your flowchart for wider distribution, you can convert it to an accessible PDF:

1. In Visio, select **File > Save As** and choose **PDF** as the file type.

2. Select the **Options** button in the Save As dialog box.

3. Ensure the **Document structure tags for accessibility** checkbox is selected, then select **OK** and **Save**. This adds the necessary accessibility tags that screen readers need to interpret the file's structure.

Finally, test the accessibility using a screen reader such as Windows Narrator to experience the diagram as an assistive technology user would.